NEORNIPHARMA

BY VETS FOR BIRDS



CATALOGUE

2027

NEORNIPHARMA SUPPLEMENTS

TARGETED SOLUTIONS TAILORED TO YOUR BIRDS

This catalogue is a comprehensive guide of the NeorniPharma range aimed at **support through through natural, highly concentrated supplements.** By targeting annually recurring problems, NeorniPharma aims to build immunity and consequently stronger birds.

Front desk address

Beverlosesteenweg 129
3583 Paal, Belgium

Phone number

+32 (0)11 96 91 02

Additional dosages of powders

View alternative dosages on our 'Powders and capsules' dosage card in this catalogue.



Bird species in this catalogue



All NeorniPharma products have unique formulas and are designed by veterinarians based on scientific research and practical experience.

Breeding and immunity

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Immuno Booster NEW (1 kg)	20 g/kg egg food/ feed	All-in premix	75
Immuno-Plus (100 ml)	2 ml/l	Immunity, extra energy, breeding	25
Immuno-Plus (250 ml)	2 ml/l	Immunity, extra energy, breeding	55
Immuno-Plus (1 l)	2 ml/l	Immunity, extra energy, breeding	180
Immuno Recup Caps (80 capsules)	1 cap/0.5-1 kg BW	Immunity, recovery, energy	25
Super Start-Up (200 g)	5 g/kg feed	Start-up supplement for chicks, black spot	25
Vit E + Se (100 ml)	2 ml/l	Extra vitamin E and selenium	20
Vit E + Se (250 ml)	2 ml/l	Extra vitamin E and selenium	40

Liver, muscles, and condition

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Hepa-Plus (100 ml)	4 ml/l	Liver support	25
Hepa-Plus (250 ml)	4 ml/l	Liver support	40
Hepa-Plus (1 l)	4 ml/l	Liver support	85
Ready (100 ml)	5 ml/l	Form, condition, and improved blood flow	25
Ready (250 ml)	5 ml/l	Form, condition, and improved blood flow	50

Megabacteria and dysbacteriosis

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Dysbac Liquid (250 ml)	2 ml/l	Crop, proventriculus and intestinal health	40

Natural oils

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Feather Energy (400 ml)	5 ml/kg feed	Fly oil	25
PikStop (100 ml)	1 ml/l	Pecking	35
Respicor (250 ml)	3 ml/l	Respiratory tract, heat stress	35

Probiotics and disinfection

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Neorni Stabilizer (1 l)	5-10 ml/100 ml	Probiotics - environment	25
Probi-Plus (150 g)	3 g/l	Probiotics and prebiotics	25

Acidification and drinking water disinfection

PRODUCT	DOSAGE	INDICATION	PRICE (€)
CU-For Liquid (250 ml)	1-2 ml/l	Acidification of drinking water	20

All advertised prices include Belgian VAT (21%).
Please always check our online shop for the most up-to-date prices.

Vitamins, amino acids, electrolytes, minerals, and trace elements

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Aminovital (100 ml)	2 ml/l	Amino acids, electrolytes, vitamins	20
Aminovital (250 ml)	2 ml/l	Amino acids, electrolytes, vitamins	35
Aminovital (1 l)	2 ml/l	Amino acids, electrolytes, vitamins	65
Condi-Plus (250 ml)	2 ml/l	Moulting supplement	30
Vita Energy (400 g)	10 g/kg feed	Conditioning powder – vitamins, minerals, and amino acids	35
Vita Light (250 ml)	5 ml/l	Vit A, D, E & K	20
Vita-Min-DCP (100 ml)	2 ml/l	Vit D, calcium, phosphorus, and other minerals	20
Vita-Min-DCP (250 ml)	2 ml/l	Vit D, calcium, phosphorus, and other minerals	35
Vita-Min-DCP (1 l)	2 ml/l	Vit D, calcium, phosphorus, and other minerals	70
Vita-Plus (100 ml)	2 ml/l	Water-soluble multivitamins	20
Vita-Plus (250 ml)	2 ml/l	Water-soluble multivitamins	30
Vita-Plus (1 l)	2 ml/l	Water-soluble multivitamins	70

PURE

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Brewer's yeast (1 kg)	15-30 g/kg feed	Amino acids, minerals, trace elements, Vit B	20
Dextrose (1 kg)	15-30 g/l	Energy, flavour	20
Electrolyte (500 g)	15-30 g/l	Hydration, stabilisation, balance	20
Yellow (100 g)	1-2 g/kg feed	Colour	15
Yellow (500 g)	1-2 g/kg feed	Colour	60
Highly digestible protein (400 g)	5-15 g/kg feed	Muscle growth, extra amino acids/proteins	30
Red (100 g)	1 g/kg feed	Colour	28
Red (500 g)	1 g/kg feed	Colour	85

Order easily through our online shop

shop.neornipharma.be

All advertised prices include Belgian VAT (21%).
Please always check our online shop for the most up-to-date prices.

NEORNI PHARMA
BY VETS FOR BIRDS

NEORNI

NeorniPharma is part of Neorni, a team of veterinarians dedicated specifically to avian medicine. Neorni offers various services to ensure the best care for birds.

www.neorni.be
www.neornilab.be

Follow us on Facebook & Instagram

@NEORNI

NEORNIVET

Veterinary practice

NeorniVet Paal

NEORNILAB

Laboratory

Gender • Performance genes
Kinship • Faecal analysis
Disease testing • Bacteriology
Species determination
Autopsy • Colour mutations

NEORNI PHARMA
BY VETS FOR BIRDS

Product range



Neorni (all services)
Beverlosesteenweg 129
3583 Paal, Belgium
T +32 (0)11 96 91 02

BREEDING AND IMMUNITY

NEORNI PHARMA
BY VETS FOR BIRDS

Natural breeding boost

Basic breeding

The basic breeding schedule is the essence of successful breeding. Several field trials have shown that the birds were better prepared for breeding, which was reflected in more nests and more young per nest.



Immuno-Plus
2 ml/l or 4 ml/kg
Prior to breeding: daily for 2-6 weeks until the first clutch
Breeding urge +++
Polypeptides
Stimulation of egg cell and sperm cell production



Immuno Booster NEW
20 g/kg egg food/feed
During breeding: daily from the first clutch until the young leave the nest
Breeding urge +
Polypeptides and Premix breeding and rearing
Maintenance of egg cell and sperm cell production

NEORNIVET

Need advice?

Your Neorni veterinarian will be happy to help



Vit E + Se
2 ml/l or 4 ml/kg
Daily for 2-4 weeks before breeding until the first clutch
Fertility +++
Linseed oil, arginine, spirulina, carnitine, zinc, etc
Extra high dose of Vit E + Se

Extra breeding (fertilisation)

Fertilisation problems occurring upon application of the basic schedules often have a nutritional or infectious cause.

▶▶nutritionally speaking, a **Vit E + Se** supplement would certainly be beneficial.

▶▶In addition, certain germs with an important influence on fertilisation have been isolated in recent years. Faeces culture before breeding can be carried out easily and quickly at NeorniVet veterinary practice(± 24h).

▶▶In specific situations/species, extra added value can be achieved with the use of specific supplements such as **Vita-Plus, Ready, Hepa-Plus** ...

NEORNI PHARMA BY VETS FOR BIRDS

IMMUNO BOOSTER NEW

All-in premix for young birds



UNIQUE FORMULE

1 kg **€75**

WEBSHOP

Indication

- Supports breeding results and maintains the condition of your birds
- Supply of extra energy
- Supports the immune system
- Uses probiotica to help build up intestinal flora
- Good development of the skeletal system
- Ideal for animals that are required to deliver top performances

Administration 20 g/kg

- 1 large scoop (20 g)/kg egg food/feed or 2 small scoops (2 g)/100 g egg food/feed
- During breeding season: add daily to egg food/feed
- Extra energy and accommodating deficits: 1-2 days per week throughout the year

Corn gluten, potato protein, potato protein fermentate, yeast and parts of it, chicory root fibre, spirulina, yeast, trimagnesium citrate, monoglycerides, diglycerides and triglycerides of fatty acids (c4), tricalcium citrate, L-carnitine, betaine, vitamin A, vitamin D3, vitamin E, vitamin C vitamin B1, vitamin B2, calcium D-pantothenate, vitamin B6, vitamin B12, vitamin K, niacinamide, folic acid, choline, clinoptilolite, copper, iron, zinc, manganese, potassium iodide, selenium, cobalt, lysine, methionine, glycine, echinaceae purpureae, curcuma, lactobacillus acidophilus

2 / 100 g

IMMUNO-PLUS

Immunity, extra energy, breeding

WEBSHOP



100 ml **€25**
250 ml **€55**
1 l **€180**

"Bird-Viagra"

Indication

- Supports breeding results and maintains the condition of your birds
- Supply of extra energy
- Good appetite and feather patterns
- To be used before/after intense exertion/competition
- Supports the development and growth of young animals

Administration 2 ml/l drinking water

- Breeding: daily from 2-6 weeks before breeding. Stop administration from first clutch.
- Show/competition: starting 5 days before show/competition, daily 2 ml/l drinking water or 2 ml/kg body weight directly into the beak
- Immunosuppression and disease: 2 ml/l drinking water for 14 days or 2 ml/kg body weight directly into the beak until recovery
- Viral infections (circovirus, bornavirus, etc.): for 4-8 weeks to support and promote immunity

IMMUNO RECUP CAPS

Immunity, recovery, energy

80 capsules
€25

WEBSHOP



Indication

- Stimulates recovery after illness/exertion
- Supply of extra energy
- Supports the immune system
- Ideal for top performance

Administration

- Recovery/immunity boost: 1 capsule/0.5-1 kg orally for 5-10 days
- Extra energy: 1 capsule/0.5-1 kg orally
- Pigeon: day of return home, 1 capsule/pigeon
- To support breeding: for 14 days before mating until laying 1 capsule/0.5-1 kg
- *Immuno Recup Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

Maize gluten, potato protein, potato protein fermentative, yeast and parts of it, chicory root fibre, spirulina, yeast, trimagnesium citrate, monoglycerides, diglycerides and triglycerides of fatty acids (c4), tricalcium citrate, L-carnitine, Vit A, Vit D3, Vit E, Vit C, Vit B1, Vit B2, calcium D-pantothenate, Vit B6, Vit B12, Vit K, niacinamide, folic acid, choline, clinoptilolite, copper, iron, zinc, manganese, potassium iodide, selenium, cobalt, lysine, methionine, glycine, echinaceae purpureae, curcuma, lactobacillus acidophilus

SUPER START-UP

Start-up supplement for chicks, black spot



200 g **€25**

WEBSHOP

Indication

- Smooth start for your young chicks in the first 6 weeks of life
- Natural suppression of bacterial and necrotic enteritis/diarrhoea
- Rapid growth and larger birds due to smooth start and natural suppression of black spot

Administration 5 g/kg egg food/feed

- Administer daily from the first clutch until the young leave the nest

VIT E + SE

Extra vitamin E + selenium

WEBSHOP



100 ml **€20**
250 ml **€40**

+ spirulina
+ zinc
+ linseed oil

Indication

- For animals with a deficiency of vitamin E selenium
- Recommended for nervous symptoms
- Breeding and fertility support

Administration

- 2 ml/l drinking water or 1 ml/kg body weight directly into the beak
- Recommended in case of nervous symptoms: for 7-10 days

Fertility +++
Daily 2 ml/l or 4 ml/kg feed daily for 2-4 weeks, prior to breeding until the first clutch

Vitamin E (synthetic + natural and more absorbable form), selenium, flaxseed oil, spirulina, carnitine, arginine, zinc glycinate

Fertility therapy

Individual therapy (cocks ♂ and hens ♀)

Nutritional therapy

♂ = ♀

Hormonal therapy

♂ ≠ ♀

14 DAYS BEFORE MATING UNTIL THE FIRST CLUTCH

DAILY

water

Immuno-Plus (2 ml/l) + Vit E + Se (2 ml/l)

2 DAYS/WEEK

feed

Vita Energy (10 g/kg) + Feather Energy (5 ml/kg)



14 days before mating

MATING



FIRST CLUTCH



Contact a NeorniVet practice for a specific schedule for cocks and hens

NEORNIVET

3 hormonal injections

START-UP AFTER MATING



LIVER, MUSCLES, AND CONDITION

NEORNI PHARMA
BY VETS FOR BIRDS

HEPA-PLUS

Liver support

HIGH CONCENTRATION

100 ml **€25**
250 ml **€40**
1 l **€85**

WEBSHOP



Indication

- Supports liver function
- Relieves stress on the liver

Administration

- In case of elevated need: 4 ml/l drinking water for 5-14 days
- Maintentance: 2 ml/l drinking water, 2 to 3 days per week

Can be administered daily to support the liver during administration of medication or dye

Sorbitol, magnesium sulphate heptahydrate, sodium chloride, choline chloride betaine anhydrous, L-carnitine

READY

Form, condition, and improved blood flow

WEBSHOP



100 ml **€25**
250 ml **€50**

Additional iron, iodine, L-carnitine, and Vit B12

Indication
- Condition booster: improves performance
- Stimulates fat metabolism and endurance
- Supports blood circulation

Administration 5 ml/l drinking water
- **Condition boost:**
  - For exhibition/flying season: for 2 weeks
  - For important performance: for 2-5 days
- **Fat birds:** for 3-5 days a week until the result is achieved
- **Anaemia:** 7-10 days
- Adjusted dosage songbirds <250 g body weight (canary, siskin, etc.): 1-2 ml/l

Glycerol, L-carnitine, beetroot juice, potassium iodide, iron glycinate, vitamin B12, magnesium citrate sodium chloride, magnesium chloride, calcium chloride, glucose, vitamin E, selenium, zinc, copper, manganese, vitamin A, vitamin B1, vitamin B2, vitamin B5, vitamin B6, vitamin PP (niacinamide), vitamin D3, vitamin C, blend of natural aromatic components



MEGABACTERIA AND DYSBACTERIOSIS

NEORNI PHARMA
BY VETS FOR BIRDS

Dysbacteriosis

crop

proventriculus

intestines



Dysbac Liquid

prevention of dysbacteriosis

7-in-1
Intestinal health on 7 fronts

What is the difference between Dysbac Liquid and CU-For Liquid?



Dysbac Liquid is an improved & more elaborate version of CU-For Liquid with a stronger focus on **intestinal health** & **general immunity**



CROP, PROVENTRICULUS AND INTESTINAL HEALTH, PREVENTION OF DYSBACTERIOSIS		WATER ACIDIFICATION, WATER QUALITY
+	ACIDIFICATION OF DRINKING WATER (pH)	+++
+++	CROP HEALTH	+++
+++	POVENTRICULUS HEALTH	++
+++	INTESTINAL HEALTH	-
+++	GENERAL IMMUNITY	-
2 ml/l	DOSAGE	

▶▶ **Short-chain fatty acids:** formic acid, propionic acid, citric acid
▶▶ **Medium-chain fatty acids:** butyric acid, monoglycerides, diglycerides and triglycerides of fatty acids (C8-C10)
▶▶ **Aromatic substances:** oregano, echinaceae purpureae, ginger, cinnamon, black pepper, garlic, and boswellia
▶▶ **Vitamin C**
▶▶ **Chelated copper and zinc**
▶▶ **Extra fibre**
▶▶ **Fish oil**

▶▶ **Short-chain fatty acids:** ammonium formate, acetic acid, lactic acid, formic acid, propionic acid
▶▶ **Copper and zinc sulphates**

NEORNIVET

Need advice?

Your Neorni veterinarian will be happy to help

NEORNI PHARMA
BY VETS FOR BIRDS

DYSBAC LIQUID

Crop, proventriculus and intestinal health

UNIQUE FORMULE

250 ml **€40**

7-in-1
Intestinal health on 7 fronts

WEBSHOP



Indication

- Forms a protective film over the intestinal mucosa
- Increases the animal's immunity
- Helps to maintain the natural balance of intestinal flora
- To be used in cases of watery faeces

Administration 2 ml/l drinking water

- Prevention: 1 to 2 days per week
- In case of digestion problems: for 7-14 days

Prevention of megabacteriosis and dysbacteriosis

- 1-2 days a week 2 ml/l drinking water
- May be combined with *ACS*

Monobutyrin, prebiotic fibre, fish oil, medium-chain fatty acids, sodium chloride, glycerol, zinc, copper, formic acid, propionic acid, citric acid, 10 different strains of oregano, echinacea purpurae, cinnamon, thyme, Boswellia, black pepper, microfused essential oils, vitamin C

SOFT DROPPINGS IN BIRDS

Soft droppings are one of the most common concerns among bird owners.

In many cases, this is temporary and harmless, but sometimes it indicates an **imbalance in the gut or an underlying problem.**

Our vet explains this in our blog.



NEORNIVET

Need advice?
Your Neorni-vet is happy to help

BLOG

NEORNI PHARMA
BY VETS FOR BIRDS

NATURAL OILS

NEORNI PHARMA
BY VETS FOR BIRDS

FEATHER ENERGY

Flight oil, source of energy from lipids

400 ml **€25**

WEBSHOP



Indication
- Source of energy from lipids
- Feather quality, optimal feathering
- Extra vitamins A, D, and E
- Hoge source of omega 3-6-9 fatty acids

Administration 5 ml/kg feed
- Moulting; 2 days per week
- Breeding: 2-3 days per week
- Flying season:
  - Departure: for 2-5 days before basketing, in combination with *Vita Energy*
  - Homecoming: for 2 days, in combination with *Immuno Booster NEW*

Can be used to improve the absorption of *Immuno Booster NEW* and *Vita Energy* with the feed

Cold-pressed oils: linseed oil, cod liver oil, rapeseed oil, salmon oil, lecithin, maize germ oil, wheat germ oil, sunflower oil, hemp seed oil (including vitamins A, D and E)

PIKSTOP

Pecking, restlessness

NEW

100 ml **€35**

WEBSHOP



Indication

- Pecking in birds

Administration

- 1 ml/l drinking water for 4-6 weeks

Feather picking/pecking
Administer simultaneously with *Immuno-Plus* for the best results

Does the pecking behaviour or feather-plucking persist after the course of treatment? If so, have your birds examined by a vet. Feather-plucking may be caused by an underlying medical or behavioural issue that requires treatment.

RESPICOR

Respiratory tract, heat stress

250 ml **€35**

WEBSHOP



Indication

- Natural solution to support respiratory problems
- Suppression of pain/inflammation in case of respiratory problems
- Stuck slime
- Heat stress

Administration 3 ml/l drinking water or 0.5 ml/kg body weight directly into the beak

- Maintenance: when purchasing new birds: for 10-14 days
- In elevated need: for 10-14 days
- Heat stress: 3-5 ml/l

Additional support for racing pigeons in hot weather 3 ml/l of drinking water, in combination with *Aminovital* on the basketing day

Vitamin A, vitamin C, curcuma, sage, elderberry, thyme, oregano, mint, eucalyptus, echinacea, grindelia, clove, nettle, rosemary

PROBIOTICS AND DISINFECTION

NEORNI PHARMA
BY VETS FOR BIRDS

NEORNI STABILIZER

Probiotic ambient spray

1 l **€25**

WEBSHOP



Indication

- Reduction of pathogenic load in your birds' surroundings
- Forms a stable and healthy environment by occupying it with safe, probiotic bacteria

Administration

- To be used diluted: 5-10% (5-10 ml/100 ml) in lukewarm water
- Mist the entire area to be stabilised
- First week, spray the loft daily (may be done in the presence of birds, including nestlings).
- Subsequently, spray twice a week to maintain probiotic protection
- The product diluted with water has a maximum shelf life of 5 days.

Can be nebulised in the presence of the birds/ pigeons, especially during important or stressful periods when the bacterial presence in the

PROBI-PLUS

Probiotics and prebiotics



150 g **€25**

WEBSHOP

Indication

- Increases the beneficial flora in the crop and the intestines
- Ensures improved digestion and supports the initiation of the crop and intestinal flora in chicks
- After a course of antibiotics

Administration 3 g/l drinking water or 6g/kg feed

- Maintenance: for 2 days/week
- Wet droppings or after antibiotic treatment: for 5-7 days
- Refresh daily
- May be combined with other supplements (vitamins)

Change drinking water twice daily or administer through the feed

Prebiotics (fructo-oligosaccharides, yeasts) and probiotics (enterococcus, lactobacillus)

ACIDIFICATION AND DRINKING WATER DISINFECTION

NEORNI PHARMA
BY VETS FOR BIRDS

CU-FOR LIQUID

Acidification of drinking water

250 ml **€20**

WEBSHOP



Indication

- Acidification of drinking water, lowering pH

Administration 1-2 ml/l drinking water for 1 to 2 days per week

Exceptionally concentrated formula, very economical to use

Organic acids, copper sulphate, zinc acetate

VITAMINS, AMINO ACIDS, ELECTROLYTES, MINERALS, AND TRACE ELEMENTS

NEORNI PHARMA
BY VETS FOR BIRDS

AMINOVITAL

Amino acids, electrolytes, and vitamins

WEBSHOP



100 ml **€20**
250 ml **€35**
1 l **€65**

Extra vitamin E, selenium and BCAA amino acids

Indication

- All essential amino acids crucial for proper moulting/feather development/pigmentation
- Stimulates recovery/repair
- Muscle building and recovery

Administration 2 ml/l drinking water

- Racing pigeons: 5 ml/l during the racing season
- Throughout the entire year: 1 to 2 days per week
- Throughout the entire moulting period: 3 days/ week. May be combined with *Condi-Plus.*

Additional support for racing pigeons in warm weather 5 ml/l drinking water, in combination with *Respicor* on the basketing day

Dextrose, glycerol, sodium chloride, prebiotic fibre, trimagnesium citrate, beetroot juice, potassium chloride, sucrose, calcium chloride, tricalcium citrate, lysine, methionine, threonine, tryptophan, hystidine, carnitine, betaine, choline, vitamin B1, vitamin B2, niacinamide, calcium D-pantothenate, vitamin B6, vitamin B12, folic acid, biotin, vitamin C, vitamin E, selenium, copper, zinc, manganese, mix of natural aromatic components, L-isoleucine, L-valine, L-leucine

CONDI-PLUS

Moulting supplement

250 ml **€30**

WEBSHOP



Indication

- Supports bird health during moulting
- Supports the metabolism
- Supply of extra energy
- Increases appetite

Administration 2 ml/l drinking water

- Throughout the entire moulting period: 3 days/ week. May be combined with *Aminovital.*

Lysine, propylene glycol, sorbitol, magnesium, plant extracts

VITA ENERGY

Conditioning powder – Vitamins, minerals, and amino acids

NEW FORMULA

400 g **€35**

WEBSHOP



Indication

- Condition booster and extra energy
- Extra vitamins, minerals and amino acids
- Increases endurance
- Breeding stimulation

Administration

- Recommended administration: 10 g/kg feed
- Administration via drinking water: 4 g/l

5 / kg

2 / l

- General: Throughout the year, 1-2 days/week. In case of poor/impaired condition: for 14 days.
- Breeding stimulation: 2-4 weeks prior to breeding, twice a week to daily
- Pigeon: Medium distance/long distance, 2-5 days before basketing

Dextrose, maltodextrin, soya protein concentrate, calcium carbonate, yeasts and parts thereof, trimagnesium citrate, monosodium phosphate, sodium bicarbonate, sodium chloride, potassium chloride, trisodium phosphate, tricalcium citrate, vitamin A, vitamin D3, vitamin E, vitamin K, vitamin B1, vitamin B2, vitamin B3, vitamin B5, vitamin B6, vitamin B11, vitamin B12, biotin, vitamin C, choline chloride, iron, copper, zinc, manganese, potassium iodide, selenium, lysine, methionine, tryptophan, threonine, mixture of natural aromatic components

VITA-LIGHT

Vitamins A, D, E & K

NEW

250ml **€ 20**

WEBSHOP



Indication

- White birds & fussy drinkers
- Multivitamin for general daily health
- Source of fat-soluble vitamins A, D, E & K

Administration

- 5 ml/l of drinking water, for 5 days
- Maintenance: 1 to 2 days per week
- Recovery: 5 consecutive days

Give your birds vitamins without the risk of discolouring their white feathers

Sorbitol, magnesiumchloride, natriumchloride, vitamine A, vitamine D3, vitamine E, vitamine K3, vitamine C

VITA-MIN-DCP

Liquid source of vitamin D, calcium, phosphorus, and other minerals

WEBSHOP



100 ml **€20**
250 ml **€35**
1 l **€70**

Extra calcium and phosphorus

Indication
- For birds with a deficiency in Vitamin D3, calcium, phosphorus and other minerals
- Supports bone formation and development in young animals
- Supports egg shell formation
- Poor egg shell quality/shell-less eggs

Administration 2 ml/l drinking water
- Maintenance: 2 ml/l
  - 2 weeks prior to breeding until the eggs are laid: 2-3 days per week
  - For the first 6 weeks of life: 2-3 days per week
- Increased need: 5 ml/l for 14 days
- Support for fractures: for 6 weeks, 5 ml/l drinking water or 0.5 ml/kg body weight directly into the beak

Change drinking water twice daily to avoid sedimentation, or administer via the feed (preventive: 4 ml/kg egg food/feed - curative: 10 ml/kg egg food/feed

Trisodium phosphate, trimagnesium citrate, calcium chloride, magnesium chloride, tricalcium citrate, vitamin D3, cholecalciferol, zinc, manganese, copper, iron

VITA-PLUS

Water-soluble multivitamins

HIGH CONCENTRATION

100 ml **€20**
250 ml **€30**
1 l **€70**

WEBSHOP



Indication

- Supplement containing all essential fat- and water-soluble vitamins
- Overall daily health
- Prevention of chronic vitamin A deficiency

Administration 2 ml/l drinking water

- Weekly: for 1 to 2 days per week
- After illness/recuperation: for 3 to 5 consecutive

For parrots and parakeets, we strongly recommend administering 1-2 days per week *Vita-Plus* via the drinking water to prevent vitamin A deficiency

High concentration of vitamin K helps prevent or stop bleeding

Vitamin A, vitamin D3, vitamin E, vitamin K3, vitamin C, vitamin B1, vitamin B2, vitamin B6, vitamin B12, vitamin PP, biotin, folic acid, sorbitol



NEORNI PHARMA
BY VETS FOR BIRDS

BREWER'S YEAST



Indication
- Amino acids, minerals and trace elements
- Vitamin B

Administration 15-30 g/kg feed

1 kg **€20**

DEXTROSE



Indication
- Additional energy source
- Flavouring medicated water

Administration 15-30 g/l drinking water

1 kg **€20**

ELECTROLYTE



Indication
- Hydration in case of dehydration
- Stabilisation of water and electrolyte balance

Administration 15-30 g/l drinking water

500 g **€20**

YELLOW



Indication
- Colour

Administration 1-2 g/kg feed

100 g **€15**
500 g **€60**

HIGHLY DIGESTIBLE PROTEIN



Indication
- Muscle growth
- Additional amino acids/proteins

Administration 5-15 g/kg feed

400 g **€30**

RED



Indication
- Colour

Administration 1 g/kg feed

100 g **€28**
500 g **€85**



SCHEDULES FOR SONGBIRDS

NEORNI PHARMA
BY VETS FOR BIRDS

Annual Euro and Canary schedule

Timeline



Preparation for breeding

- Breeding boost
- Liver support
- Black spot prevention

First clutch until weaning

- Optimal start and mushy chick disease prevention
- Suppression of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and fungi

Weaned young

- Prevention coccidiosis/atoxoplasmosis, megabacteriosis and dysbacteriosis
- Limiting pressure with immunity build-up

Annual Euro & Canary schedule

The annual schedule is a general guide for preparation, breeding, hatching, weaning and moulting. Talk to your veterinarian about the specific requirements for your birds and devise a tailored schedule together.

Preparation from 6-8 weeks prior to breeding

1. A healthy environment is the best start! (see Virkon™S)

2. Prevention of atoxoplasmosis/coccidiosis + megabacteriosis/dysbacteriosis
- **Veterinarian:** bird check-up + faecal analysis 6-8 weeks prior to breeding
- Only use courses of treatment in case of problems:
  - 5 days Sulfaclozine (3 g/l) + Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)
  - 3 days Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)
  - 5 days Sulfaclozine (3 g/l) + Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)

3. For 6 weeks prior to breeding
- **Immuno-Plus (2 ml/l) daily**
  - Breeding boost; birds will be in top condition
- 1-2 days per week **Hepa-Plus (4 ml/l)**
  - Liver support
- As required: Vita-Plus, Vita Energy, Ready, Vit E + Se, Vita-Min-DCP
  - These are suitable for use with Immuno-Plus
- Extra: black spot prevention
  - For 7 days **Gould Mix (5 g/l)** during breeding preparation

4. Prevention of ectoparasites
- Haematophagous mites
  - **Exzolt:** 1 ml/l for 1 day, repeat on days 7 and 14
    - Does not affect fertility and nestlings/young
    - Can be repeated every 3 months
  - Extra prevention of haematophagous mites
    - Before occupation, treat loft with:
      - **Derma-Plus**
- Feather mites
  - **Vermi-Complete (1 ml/l bath water)**

Breeding: First clutch until weaning

1. **Immuno Booster NEW (2 g/100 g or 20 g/kg egg food/feed)**
- All-in premix for young birds

2. First 6 weeks
- Option 1: **Super Start-Up (5 g/kg egg food/feed)**
  - Natural suppression and prevention of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and fungi
- Option 2: **Super Start-Up Blue (10 g/kg egg food/feed)**
  - Suppression of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and fungi

3. Start from 2 days before hatching until 5 days after hatching **Coli-Mix (5 g/l)**
- Prevention of mushy chick disease (Colibacillosis)
- Alternative to Coli-Mix: **Gould Mix (5 g/l)**

Breeding: weaned young

1. A healthy environment is the best start!
- **Virkon™S**
  - Environment free of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and moulds
- **Neorni Stabilizer:** Probiotic ambient spray
  - Prevention by reducing bacterial presence in the environment

2. Preventive cure
- Third week after weaning
  - **Increased susceptibility to atoxoplasmosis/megabacteriosis**
    - 5 days Sulfaclozine (3 g/l) + Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)
    - 3 days Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)
    - 5 days Sulfaclozine (3 g/l) + Hepa-Plus (4 ml/l) + Megadysbac (5 g/l)

3. Then throughout the year (from weaning to breeding period)
  - **ACS 3-5 days (0.5 ml/l) 1-2 times per month**
    - Prevention of coccidiosis while improving immunity!
  - **Dysbac Liquid 1-2 days per week (2 ml/l)**
    - Prevention of megabacteriosis and dysbacteriosis

Moulting period

Throughout moulting **Condi-Plus + Aminovital**:
- Condi-Plus (2 ml/l): 3 days/week
- Aminovital (2 ml/l): 3 days/week
- May be administered simultaneously

Intermediate season Throughout the year (from weaning to breeding)
- **ACS 3-5 days (0.5 ml/l) 1-2 times per month**
  - Prevention of coccidiosis while improving immunity!
- **Dysbac Liquid 1-2 days per week (2 ml/l)**
  - Prevention of megabacteriosis and dysbacteriosis
- As required: Vita-Plus, Vita Energy, Ready, Vit E + Se, Vita-Min-DCP

At NeorniPharma, we always strive for the best long-term solution. We are constantly looking for **alternatives to anti-microbials** to limit the risk of resistance. The goal is to give our birds **as few preventive treatments with antimicrobial agents as possible**. Clinical research and any additional tests are crucial for this. After the diagnosis, an appropriate treatment can be administered. **Antibiotics are not harmless.** Consult your vet for advice about their correct and responsible use. **Autopsy:** don't simply throw away a bird that has died! The cadaver can provide a lot of information to ensure appropriate treatment can be sought. The cadavers are best kept cool (fridge) and analysed within 24 hours (max. 72 hours).

NEORNI PHARMA
BY VETS FOR BIRDS

Preparation for breeding



From 6 weeks prior to breeding until the first clutch

NEORNIVET

Need advice?

Your Neorni veterinarian will be happy to help

Immuno-Plus	Hepa-Plus
2 ml/l	4 ml/l
6 weeks prior to mating until the first clutch	6 weeks prior to mating until the first clutch
Daily	1-2 days/week
Stimulation of sperm cell and egg cell production	Supports the liver

Order products



Extra support

Vit E + Se	Vita-Min-DCP	Ready	Vita-Plus/Vita Energy
2 ml/l	2 ml/l	3-5 ml/l	2 ml/l or 10 g/kg
2-4 weeks prior to mating until the first clutch	2 weeks prior to mating until the first clutch	6 weeks prior to mating until the first clutch	A: Throughout the year: B: 2 weeks before mating until the first clutch
Daily	2 days/week	1-2 days/week	A: 1-2 days/week B: Daily
Extra-high doses of Vit E + Se, linseed oil, arginine, spirulina, carnitine, zinc, etc.	Extra calcium, phosphorus, Vit D3, and trace minerals	Converts fat into usable energy for the bird	Extra vitamins
FERTILISATION	**EGGSHELL**	**CONDITION**	**VITAMINS**

▶▶▶ All products can be used in combination

NEORNI PHARMA
BY VETS FOR BIRDS

Breeding: hatching to weaning



Coli-Mix

5 g/l or 10 g/kg egg food/feed

2 days before to 5 days after hatching

No impact on fertility

Broad-spectrum mix

Prevention of mushy chick disease and Bengalese finch disease

Immuno Booster NEW

20 g/kg egg food/feed

Daily from the first clutch until the young leave the nest

Positive effect on fertility

All-in premix

Maintain oocyte and sperm production

Super Start-Up

5 g/kg egg food/feed

Natural suppression and prevention of coccidiosis/ atoxoplasmosis, bacteria, viruses, yeasts and fungi

OR

Super Start-Up Blue

10 g/kg egg food /feed

Suppression of coccidiosis/ atoxoplasmosis, bacteria, viruses, yeasts and fungi

Immuno Booster NEW contains all essential components for **rearing young birds**. It is a unique **comprehensive** premix to mix under egg food/feed, providing all necessary nutrients in **exceptionally high concentrations**.

Immuno Booster NEW Polypeptides Keep the birds in form during breeding. **Saccharomyces cerevisiae** Source of protein, amino acids, and nucleotides. **Chicory root fibre** Prebiotic fibre: balanced digestion. **Spirulina** Source of protein, fats, carbohydrates, vitamins, and minerals. **Electrolytes** Fluid balance. **Fatty acids** Energy, balanced digestion. **All water-soluble and fat-soluble vitamins** General immunity, antioxidants, growth, energy release. **All amino acids** Building muscle and feather cover. **L-carnitine** Supports fat digestion and muscle building. **Choline** Liver support. **Minerals** (cobalt, iron, copper, zinc, manganese, iodine, selenium) General immunity, antioxidants, growth, energy release. **Clinoptoplite** General health and intestinal health. **Probiotics** Intestinal flora stabiliser. **Turmeric and echinacea** General immunity and health.

NEORNI PHARMA
BY VETS FOR BIRDS

Breeding: weaned young

COCCIDIOSIS AND ATOXOPLASMOSIS	MEGABACTERIA AND DYSBACTERIOSIS
ACS	**Dysbac Liquid**
0.5 ml/l	2 ml/l
From weaning until next breeding time	From weaning until next breeding time
3-5 days/month If required: twice monthly	1-2 days/week
COCCIDIOSIS AND ATOXOPLASMOSIS	MEGABACTERIOSIS, DYSBACTERIOSIS, AND FLAGELLATES





Order products

Extra support throughout the year

SUPPORTS THE LIVER	GENERAL SUPPORT
Hepa-Plus	**Vita-Plus / Vita Energy**
2 ml/l	2 ml/l or 10 g/kg
Throughout the year	Throughout the year
1-2 days/week When adding dye: 2 ml/l daily	1-2 days/week
LIVER SUPPORT	EXTRA VITAMINS





NEORNI PHARMA
BY VETS FOR BIRDS

Annual Exotics schedule

The annual schedule is a general guide for preparation, breeding, hatching, weaning and moulting. Talk to your veterinarian about the specific requirements for your birds and devise a tailored schedule together.

Preparation from 6-8 weeks prior to breeding

1. A healthy environment is the best start! (see Virkon™S)

2. Prevention of flagellates (cochlosomosis) + campylobacteriosis
- **Veterinarian:** bird check-up + faecal analysis 6-8 weeks prior to breeding
- Only use courses of treatment in case of problems:
  - For 7 days Gould Mix (5 g/l) + Hepa-Plus (4 ml/l)

3. For 6 weeks prior to breeding
- **Immuno-Plus (2 ml/l) daily**
  - Breeding boost; birds will be in top condition
- 1-2 days per week **Hepa-Plus (4 ml/l)**
  - Liver support
- As required: Vita-Plus, Vita Energy, Ready, Vit E + Se, Vita-Min-DCP
  - These are suitable for use with Immuno-Plus
- Prevention of cochlosomosis + campylobacteriosis
  - For 7 days **Gould Mix (5 g/l)** during breeding preparation

4. Prevention of ectoparasites
- Haematophagous mites
  - **Exzolt:** 1 ml/l for 1 day, repeat on days 7 and 14
    - Does not affect fertility and nestlings/young
    - Can be repeated every 3 months
  - Extra prevention of haematophagous mites
    - The day prior to occupation, treat loft with:
      - **Derma-Plus**
- Tracheal mites
  - **Vermi-Complete:** 2.5-5 ml/l for 1 day, repeat after 3 weeks
- Feather mites
  - **Vermi-Complete (1 ml/l bath water)**

Breeding: First clutch until weaning

1. **Immuno Booster NEW (2 g/100 g or 20 g/kg egg food/feed)**
- All-in premix for young birds

2. First 6 weeks
- Option 1: **Super Start-Up (5 g/kg egg food/feed)**
  - Natural suppression and prevention of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and fungi
- Option 2: **Super Start-Up Blue (10 g/kg egg food/feed)**
  - Suppression of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and fungi

3. Start from 2 days before hatching until 5 days after hatching **Coli-Mix (5 g/l)**
- Prevention of mushy chick disease (Colibacillosis)
- Alternative to Coli-Mix: **Gould Mix (5 g/l)**

4. For problems in the first 6-8 weeks of life
    - **Gould Mix (5 g/l)**
        - For the treatment of cochlosomosis (Bengalese finch disease), yeasts and bacterial diarrhoea

Breeding: weaned young

1. A healthy environment is the best start!
- **Virkon™**
    - Environment free of coccidiosis/atoxoplasmosis, bacteria, viruses, yeasts and moulds
- **Neorni Stabilizer:** Probiotic ambient spray
    - Prevention by reducing bacterial presence in the environment

2. Preventive cure
- Third week after weaning
    - **Increased susceptibility to coccidiosis/cochlosomosis/campylobacter**
        - 5 days Gould Mix (5 g/l) + Hepa-Plus (4 ml/l)
        - 3 days Hepa-Plus (4 ml/l)
        - 5 days Gould Mix (5 g/l) + Hepa-Plus (4 ml/l)

3. Then throughout the year (from weaning to breeding period)
    - **ACS 3-5 days (0.5 ml/l) 1-2 times per month**
        - Prevention of coccidiosis while improving immunity!
    - **Dysbac Liquid 1-2 days per week (2 ml/l)**
        - Prevention of megabacteriosis and dysbacteriosis
        - Prevention of flagellates (cochlosomosis)

Moulting period

Throughout moulting **Condi-Plus + Aminovital**:
- Condi-Plus (2 ml/l): 3 days/week
- Aminovital (2 ml/l): 3 days/week
- May be administered simultaneously

Mid-season

Throughout the year (from weaning to breeding)
- **ACS 3-5 days (0.5 ml/l) 1-2 times per month**
    - Prevention of coccidiosis while improving immunity!
- **Dysbac Liquid 1-2 days per week (2 ml/l)**
    - Prevention of megabacteriosis and dysbacteriosis
    - Prevention of flagellates (cochlosomosis)
- As required: Vita-Plus, Vita Energy, Ready, Vit E + Se, Vita-Min-DCP

At NeorniPharma, we always strive for the best long-term solution. We are constantly looking for **alternatives to anti-microbials** to limit the risk of resistance. The goal is to give our birds **as few preventive treatments with antimicrobial agents as possible**. Clinical research and any additional tests are crucial for this. After the diagnosis, an appropriate treatment can be administered. **Antibiotics are not harmless.** Consult your vet for advice about their correct and responsible use. **Autopsy:** don't simply throw away a bird that has died! The cadaver can provide a lot of information to ensure appropriate treatment can be sought. The cadavers are best kept cool (fridge) and analysed within 24 hours (max. 72 hours).

NEORNI PHARMA
BY VETS FOR BIRDS



SCHEDULES FOR PIGEONS

NEORNI PHARMA
BY VETS FOR BIRDS

Vaccination schedule for pigeons

Male

3-4 WEEKS INTERVAL

Age 6 weeks	**Rota-paramyxo**
Age 8 weeks	Salmonella/paratyphoid herpes
Age 10 weeks	**Smallpox** (injection/follicle method)
3-4 weeks before training	**Rota-paramyxo** BOOSTER
Mid-June - early July*	Paramyxo-herpes BOOSTER (HERPES)

NEORNIVET

Need advice?
Your Neorni veterinarian will be happy to help

TIMING The sequence and repetition of vaccines are partly determined by the infection pressure in your loft. Contact NeorniVet for guidance on this.

YOUNG PIGEON DISEASE A **double vaccination** against **rotavirus**, given 3-4 weeks apart, provides the best protection against young pigeon disease (commonly referred to as 'adeno'). When infection pressure is high, a **third booster** may be given 3 weeks before training Vaccinations against adenovirus and circovirus are not recommended because their effectiveness is unproven and there is a lack of pigeon strains.

SUPPORT Support your youngsters during the vaccination period in the first 6 weeks after weaning with a daily dose of **Immuno-Plus** + **Dysbac Liquid**.



Old pigeons and yearlings

Mid-February	Smallpox (injection/follicle method) CERTAINLY BENEFITS YEARLINGS
Late February	**Paramyxo-herpes**
14 days later	**Salmonella/paratyphoid****

SUPPORT Get your old pigeons and yearlings off to the best start of the new season with **Dysbac Liquid** and **Ready**.



Breeding pigeons:

6-7 weeks before breeding	**Salmonella/paratyphoid****
Mid-October	**Paramyxo-herpes**

SALMONELLA/PARATYPHOID Depending on infection pressure and immunity, it may be necessary to treat pigeons before vaccination, and vaccinate once or twice.

HERPES In case of herpes problems during the rearing of young pigeons, it is recommended to vaccinate breeding hens twice against herpes.

PARAMYXO An annual paramyxo vaccination is mandatory for breeding pigeons.

SUPPORT Stimulate breeding pigeons 2 weeks before pairing until the first clutch with **Vita-Min-DCP** and **Immuno-Plus**. Poor breeders/old cocks: supplement with **Vit E + Se**.



*** 3-4 weeks before the critical period**
**** In case of previous infection, possibly after preventive treatment**

NEORNI PHARMA
BY VETS FOR BIRDS

Breeding



Order schedule

2 weeks prior to mating until laying

Vita Energy + Feather Energy
10g/kg feed
2 weeks prior to mating until the first clutch
2 days/week
Extra vitamins, minerals and amino acids

Immuno-Plus	Vit E + SE
2 ml/l	
2 weeks prior to mating until the first clutch	
Daily	
Stimulation of sperm cell and egg cell production	



NEORNIVET

Need advice?
Your Neorni veterinarian will be happy to help

From hatching to weaning

Immuno Booster NEW+ Feather Energy
20 g/kg feed + 5 ml/kg feed
From hatching to weaning
2-3 days/week
All-in premix

Aminovital
2-5 ml/l
From hatching to weaning
3 days/week
Additional amino acids and vitamins for rapid growth

NEORNI PHARMA
BY VETS FOR BIRDS

Racing preparation

Order Schedule

OLD PIGEONS AND YEARLINGS



	Respicor	Dysbac Liquid	Ready
	3ml/l	2 ml/l	5 ml/l
	Can be given together for 2 days/week		Daily for 2 weeks before the start of the racing season
	Respiratory tract, white noses	**Crop, proventriculus and intestinal health, solid faeces**	**Form and conditioning**

Respicor and **Dysbac Liquid** can be given together in the drinking water

50

YOUNG PIGEONS 'JUNIOR'

Order schedule



	Immuno Booster NEW	Immuno-Plus	Dysbac Liquid
	20 g/kg	2 ml/l	
	2-3 days/week for 6-8 weeks, afterwards 1 day/week throughout the flying season	2 days/week	
	Growth and energy, prevents nutritional deficiencies	**Immunity**	**Crop, proventriculus and intestinal health, solid faeces**

Immuno-Plus and **Dysbac Liquid** can be given together in the drinking water

NEORNIVET

Need advice?

Your Neorni veterinarian will be happy to help

▶▶▶▶This schedule is an indication of how the NeorniPharma products can be used in certain circumstances. We try to develop a complete and appropriate schedule with as few products as possible. All these supplements can be used in combination, if required. In case of poor performance, we will look for the cause with you and decide upon any adjustments or further treatments. Attention: food supplements are best prepared the day before so they can be well absorbed, which will help the pigeons digest the food better.

NEORNI PHARMA
BY VETS FOR BIRDS

Racing season

LOW SPEED

Order schedule



Respicor | Dysbac Liquid

	3 ml/l	2 ml/l
	Start of the week (ma - di)	
	For 2 days	
	Respiratory tract, white noses	**Crop, proventriculus and intestinal health, solid faeces**
	Respicor & Dysbac Liquid can be administered at the same time in the drinking water	

HIGH SPEED - MEDIUM DISTANCE

Order schedule



Aminovital | Respicor | Dysbac Liquid

	5 ml/l	3 ml/l	2 ml/l
	Return home	**Start of the week**	
	For 1 day Demanding flights: for 2-3 days	For 2 days	
	Fast recovery	**Respiratory tract, white noses**	**Crop, proventriculus and intestinal health, solid faeces**
	In hot weather: basketing day	**Respicor & Dysbac Liquid** can be administered at the same time	

BOOST before basketing
(see p. 56)

LONG DISTANCE Recovery



Immuno Recup Caps



Aminovital



Immuno Booster NEW

	1 capsule/pigeon	5 ml/l	20 g/kg
	For 1-2 days	For 2-3 days	
	Fast recovery	**Fast recovery**	**Quick recovery, replenishing nutritional deficiencies**

Maintenance



Dysbac Liquid



Respicor

Order schedule

52

	2 ml/l	3 ml/l
	For 2 days	
	Crop, proventriculus and intestinal health, solid faeces	**Respiratory tract, white noses**

Boost before basketing



Feather Energy **Vita Energy**



Immuno-Plus **Ready**

	5 ml/kg	10 g/kg feed	2 ml/l	5 ml/l
	For 2-5 days			
	High-fat energy	**Improves condition**	**Extra energy**	**Form**

NEORNI PHARMA
BY VETS FOR BIRDS

Moulting
Support

Order schedule

water

Aminovital
2 ml/l
3 days/week
AMINO ACIDS + VITAMINS

feed

Immuno Booster NEW		Feather Energy
20 g/kg		5 ml/kg
2 days/week	+	2 days/week
ALL-IN PREMIX		FATTY ACIDS



Help your pigeons get through the moulting season more easily with **Condi-Plus**

NEORNIVET

Need advice?
Your Neorni veterinarian is happy to help



Discuss a plan of action tailored to your loft or problem with our veterinary practice NeorniVet (+32 (0)11 96 91 02)

NEORNI PHARMA
BY VETS FOR BIRDS



SCHEDULES FOR PSITTACIDAE

NEORNI PHARMA
BY VETS FOR BIRDS

Psittacidae

PARROTS AND PARAKEETS

Order products

General health



To prevent chronic deficiencies

Throughout the year
1-2 days/week
Vita-Plus or **Vita-Energy**

Breeding

1 PREVENTION
6-8 weeks prior to breeding

Faecal analysis:
Control mixed faeces from 3-5 days (vet)
- If necessary, deworm

Request a faecal analysis via this QR code

2 STIMULATES
daily 4-6 weeks before breeding

Vita Energy + **Immuno-Plus**
Together in drinking water and/or feed





3 REARING
daily from hatching to autonomy

Natural brooding:
- **Immuno Booster NEW** 2 g/100 g egg food/feed + **Immuno-Plus** 0.2 ml/100 ml drinking water

Hand rearing:
- **Immuno Booster NEW** 2 g/100 g soft food once per day + **Immuno-Plus** 1 ml/kg body weight once per day

NEORNI PHARMA
BY VETS FOR BIRDS

Crop and digestive problems



For 7-14 days
1 ml/kg body weight
Hepa-Plus



Immuno Recup Caps
During 7-14 days
1 capsule/0,5-1kg orally



NEORNIVET
Need advice?
Your Neorni-vet is happy to help

Veterinarian check-up

- Disease testing through blood - feathers - cloacal swab
- Crop swab

You can find all disease tests for parrots here:

Moulting - Feathers



Additional support for spring growth

Moulting + feather loss
3 days/week
Aminovital + **Condi-Plus**
2 ml/l **2 ml/l**

NEORNI PHARMA
BY VETS FOR BIRDS

IS YOUR PARROT GETTING WHAT HE NEEDS?

CALCULATE ITS NEEDS WITH OUR CALCULATOR

No two birds are the same.

The species, age, weight and situation your bird is in, whether that's moulting, breeding, recovery or simply daily maintenance, together determine which feed and which supplements are suitable.

Our nutrition calculator maps all of these factors and translates them into a **feeding and supplementation strategy tailored to your bird**.

That way you know exactly what it needs, without the guesswork.

START THE TEST BY SCANNING THE QR CODE



UNIQUE BIRDS DESERVE A UNIQUE SUPPLEMENT

- **Immuno-Plus** supports the natural process behind the generation of egg cells and sperm cells. (GHR-IGF-1-signaling route)
- Among breeders, the product is also known as **'bird viagra'.**
- Supports the **generation of egg and sperm cells**

  - Males: more sperm cell production
  - Females: more egg cell production

- **More eggs, more chicks and more vitality.**

WEBSHOP



NEORNI PHARMA
BY VETS FOR BIRDS



SCHEDULES FOR CHICKENS

NEORNI PHARMA
BY VETS FOR BIRDS

Vaccination schedule

Chicks

Support

As required:

- First 14 days of life **Immuno Booster NEW** (20 g/kg feed)
- General vitamins: 3 days/week **Vita-Plus** (2 ml/l)
- Intestinal health + prebiotics: 2 days/week **Dysbac Liquid** (2 ml/l)
- Extra growth + amino acids: 2 days/week **Aminovital** (2 ml/l) + **Immuno-Plus** (2 ml/l)

Vaccinations

GOLD STANDARD: 3 vaccines (Marek, NCD and smallpox)

D1 (1st week of life)	**Marek (2 strains) + IBD + NCD** (injection)
D1 (1st week of life)	Infectious bronchitis (eye drop)
1st week of life	Coccidiosis (drinking water)

NEORNIVET

Need advice?

Your Neorni veterinarian will be happy to help

Growing chickens (from 7 weeks) and full-grown chickens

Support

- General vitamins: **Vita-Plus** (2 ml/l) Prevention: 2 days/week After treatment: for 7 days.
- Intestinal health + prebiotics: **Dysbac Liquid** (2 ml/l). Prevention: 2 days/week In the case of flatter faeces: for 7 days.
- Respiratory tract support: **Respicor** (3 ml/l). Prevention: 2 days/week In the case of respiratory problems: for 7-14 days.

Vaccinations

May-June (annual!)	**Smallpox** (+ ILT)
May-June (annual!)	**NCD** (injection/drinking water)
August-September	**NCD** (injection oil) **Mandatory for exhibition and sale**
August-September	Infectious bronchitis (drinking water)

Advice for birds of all ages

- **GOLD STANDARD:** 3 vaccines (Marek, NCD and smallpox). Other vaccines are relevant to specific problem areas, and not routinely recommended.

NEORNI PHARMA
BY VETS FOR BIRDS

Advice and tips

General health



Throughout the year
1 day/week
Vita-Plus (2 ml/l)

During moulting
3 days/week
Aminovital and **Condi-Plus (2 ml/l)**

Weak egg shells

- **Vita-Min-DCP for 21 days**
  - Group: 5 ml/l or 10 ml/kg feed
  - Individually through the beak: 1 ml/kg body weight
- **Check mixed faeces every 3-4 months:**
  - Make sure you also have mixed faeces from 2-3 days analysed for endoparasites - these may be responsible for deficiencies, and cause irregularities in eggshells





Order products

Find all disease tests for chickens here:

Snot



Mild infection + new animal
7-14 days
Respicor (3 ml/l)

Wry neck/stargazing



Wry neck
14-21 days
Vit E + Se

Group:
2 ml/l
Individual (beak):
0.2-0.5 ml/kg body weight

Exhibition or show



General form
7 days before the show
Immuno-Plus (2 ml/l)

Yellower legs
14-21 days before the show
PURE Yellow 1-2 g/kg

If problems persist, make an appointment with your vet

Index

Aminovital 32
Brewer's yeast 40
Chicken schedules 63-65
Condi-Plus 33
CU-For Liquid 30
Dextrose 40
Dysbac Liquid 19
Dysbacteriose 18
Electrolyte 40
Feather Energy 22
Fertility therapy 12
Hepa-Plus 14
Highly digestible protein 40
Immuno Booster NEW 7
Immuno-Plus 8
Immuno Recup Caps 9
Natural breeding promotion 6
Pigeon schedules 52-57
Pigeon vaccination schedule 52
PikStop 23
Probi-Plus 27
Psittacidae schedules 60-62
Ready 15
Red 40
Respicor 24
Songbirds schedules 42-49
Super Start-Up 10
Vita Energy 34
Vita-Min-DCP 36
Vita-Light *NEW* 35
Vita-Plus 37
Vit E + Se 11
Yellow 40

NEORNI PHARMA
BY VETS FOR BIRDS

EN

T +32 (0)11 96 91 02
E info@neornipharma.be
W www.neornipharma.be

Front desk and depot:
Beverlosesteenweg 129
3583 Paal, Belgium

r.p. Pieter Colla, NeorniVet bv, Beverlosesteenweg 129, 3583 Paal (BE)

NEORNI PHARMA
BY VETS FOR BIRDS