



2024
NeorniPharma
magistral
preparations

NeorniPharma Magistral Preparations

Curative custom formulations for your birds

NeorniPharma is strongly committed to disease prevention. In some cases, however, medicinal treatment is required. This catalogue provides a complete overview of **the NeorniPharma compounding range, specifically focused on disease control**. Magistral preparations are only available on veterinary prescription.



NeorniPharma Supplements

Besides magistral preparations, NeorniPharma also develops **supplements aimed at disease prevention through natural, highly concentrated recipes**. With this, NeorniPharma offers a long-term solution. The full 'green catalogue' is available from your distributor.



NEW

New front desk address

Beverlosesteenweg 129
3583 Paal, Belgium

New telephone number

+32 (0)11 96 91 02

Additional dosages of powders and capsules

Discover alternative dosages on our 'Powders and capsules' dosage chart in this catalogue. View the full dosage chart at the back of the catalogue.



3 / l



1 / 100 ml

Bird species in this catalogue



Pigeons



Songbirds



Fowl



Parrots



Birds of prey

Download our catalogues



All NeorniPharma products have unique formulas and are designed by veterinarians based on scientific research and practical experience.

Breeding

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Super Start-Up Blue (1 kg)	20 g/kg egg food/feed	Start-up young birds	45

Megabacteria and dysbacteriosis

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Megadysbac (100 g)	5 g/l	Megabacteria & dysbacteriosis	39
SBS Caps (30 c)	1 cap/100 ml	Sick bird syndrome, wheezes, diarrhoea	29

Disinfecting

PRODUCT	DOSAGE	INDICATION	PRICE (€)
CAS (1kg)	1-20 g/l	Broad-spectrum disinfectant	38

Parasites, coccidiosis and worms

PRODUCT	DOSAGE	INDICATION	PRICE (€)
ACS (25 ml)	0,5 ml/l	Coccidiosis	19
ACS (50 ml)	0,5 ml/l	Coccidiosis	35
ACS (500 ml)	0,5 ml/l	Coccidiosis	179
Endo-Ecto Kanarie (15 ml)	1 drop in the neck	Ecto- & endoparasites (including blood mite)	11
Endo-Ecto Plus Caps 0.5kg (50 c)	1 cap/500gBW	Coccidia, worms, haematophagous mites	25
Endo-Ecto Plus Caps 1kg (50c)	1 cap/kgBW	Coccidia, worms, haematophagous mites	42
Sulfaclozine (250 g)	1-3 g/l	Coccidiosis, atoxoplasmosis	45
Sulfaclozine Caps (30 c)	1-2 caps/100ml	Coccidiosis, atoxoplasmosis	15
Vermi-Complete (50 ml)	5 ml/l	Worming, blood mite, tracheal mite	19
Vermi-Complete (250 ml)	5 ml/l	Worming, blood mite, tracheal mite	76
V-Exmite Drops (15 ml)	1 drop/0.5kg	Endo- and ectoparasites	14

Specialities

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Airfree (100 g)	5 g/l	Respiratory tract infections	32
Bronchifree (100 g)	5 g/l	Respiratory tract infections	36
Bumblefoot (15 g)	2x/day	Ulcerative pododermatitis	22
Coli-Mix (100 g)	5 g/l	Mushy chick disease, nest death, bacterial diarrhoea	20
Gould Mix (100 g)	5 g/l	Cochlosomosis, yeasts, black spot	38
iDrops (15 ml)	1 drop/eye	Eye infection	15
Mucolyt (100 g)	5 g/l	Mucolytic agent for the respiratory tract	15
One Shot (5 ml)	0.5ml/pigeon, 1ml/kgBW	Respiratory tract infections	15
Orni Caps (30 c)	1 cap/kgBW or /pigeon	Respiratory tract infections	18
Orni-Plus Inject (25 ml)	0.5ml/pigeon, 1ml/kgBW	Respiratory tract infections	25
Red Race (80 g)	5 g/l	Condition powder	25
YPD Mix (100 g)	5 g/l	Young Pigeon Disease Syndrome	29

Trichomonas, candida & aspergillosis

PRODUCT	DOSAGE	INDICATION	PRICE (€)
Asper Dox Caps (30 c)	1 cap/kgBW	Aspergillosis and airsacculitis	50
Tricho Cox Caps (50 c)	1 cap/500gBW or /pigeon	Flagellates (trichomonas, hexamita, giardia) mucus & coccidiosis	25
Tricho Geel (100 g)	2-3 g/l	Flagellates (trichomonas, hexamita, giardia) & mucus	32
Tricho Geel (1 kg)	2-3 g/l	Flagellates (trichomonas, hexamita, giardia) & mucus	287

Veterinary medicines are only available after consultation with a veterinarian.

PURE

PRODUCT	DOSAGE	PRICE (€)
Amoxicillin 80% (50 g)	1 g/l	18
Colistin 480IU/mg (100 g)	3 g/l	18
Enrofloxacin 10% (10 ml)	2 ml/l	12
Enrofloxacin 10% (50 ml)	2 ml/l	23
Enrofloxacin 10% (100 ml)	2 ml/l	37
Doxycycline 15% (100 g)	3 g/l	15
Flubendazole 5% (300 g)	see label	34
Lincospectin 66% (50 g)	1-2 g/l	29
Spiramycin 50% (50 g)	1 g/l	29
Tiamulin 45% (50 g)	0.75 g/l	26
Trimethoprim-Sulfa 90% (50 g)	1 g/l	19
Tylosin 100% (50 g)	1-2 g/l	35

OTHER

PRODUCT	PRICE (€)
Baycox (100 ml)	Price on request
Catosal (50 ml)	Price on request
Catosal (100 ml)	Price on request
Catosal (250 ml)	Price on request
Chlortetra Spray (200 ml)	Price on request
Cisaral Drops (30 ml)	Price on request
Exzolt (50 ml)	Price on request
Exzolt (1 l)	Price on request
Fungizone (40 ml)	Price on request
Lincospectin inj. (250 ml)	Price on request
Meloxoral (10 ml)	Price on request
Meloxoral (25 ml)	Price on request
Meloxoral (50 ml)	Price on request
Nilstat (30 ml)	Price on request
Noromectin inj. (50 ml)	Price on request


NEORNI

NeorniPharma is part of Neorni, a team of veterinarians dedicated specifically to avian medicine. Neorni offers various services to ensure the best care for birds.

www.neorni.be
www.neornilab.be



NEORNIVET
Veterinary practice



NEORNILAB
Laboratory

- > Gender determination
- > Performance genes
- > Kinship analysis
- > Disease testing
- > Colour mutations




NEORNI PHARMA
BY VETS FOR BIRDS
Product range



Follow us
on Facebook



Neorni (all services)
Beverlosesteenweg 129
3583 Paal, Belgium
T +32 (0)11 96 91 02



BREEDING





Start-up chicks




6

Indication

- Coccidiosis and atoxoplasmosis
- Bacterial infections
- Yeast infections (megabacteria, candidiasis, ...)
- Viral infections (black spot/circovirus, polyoma, borna, ...)

Administration 20 g/kg egg food/feed

- Daily until the young leave the nest



MEGABACTERIA & DYSBACTERIOSIS





Treatment of megabacteria and dysbacteriosis



100 g €39

8

Indication



- Curative treatment of megabacteria, candida and dysbacteriosis

Administration 5 g/l drinking water

- Curative: 5 g/l, for a period of at least 14 days
- Candida infection: 5g/l for 3-5 days



3-in-1



9



MEGADYSBAC

A unique 3-in-1 approach to megabacteriosis & dysbacteriosis



Sick bird syndrome, wheezes, diarrhoea



NEW

30 capsules
€29

10

Indication

- Treatment of sick bird syndrome, wheezing and diarrhoea

Administration


- Sick bird: 1 capsule/100 ml drinking water for 5-7 days
- Sick nestlings (wheezes): 1 capsule/50 ml drinking water, 2 drops in beak 2-3 times/day
 - Combination with *Immuno-Plus*: in addition to 2 drops *SBS Caps* also 2-4 drops *Immuno-Plus* directly into the beak
- Diarrhoea & dysbacteriosis: 1 capsule/0.5-1 kg body weight for 5-7 days

1 / 100 ml - 1 / 50 g



Combi treatment 7-14 days

SBS Caps and *Sulfaclozine Caps* can be administered together in the drinking water



DISINFECTING



Broad-spectrum disinfectant



12

Indication

- Viral outbreak: herpes, circovirus (PBFB, black spot), rotavirus, polyomavirus ...
- Bacterial outbreak: Salmonella, Pseudomonas, Yersinia ...
- Yeast infections: megabacteria, aspergillosis ...
- Quarantines

Administration

- Coop/material: 5-20 g/l
- Drinking water: 1 g/l
- Bath: 15 g/10 l bath water
- Eye infection: 50 g/10 l (= 1 bucket), soak 4-5 times

3 / l (disinfection loft)



PARASITES, COCCIDIOSIS & WORMS





Coccidiosis



14


Indication

- Effective alternative against coccidiosis
- The extracellular effect of ACS promotes the build up of immunity, which means you breed stronger birds.

Administration 0.5 ml/l drinking water

- Prevention: 1-2x/month, for 3-5 consecutive days
ACS
- Curative: 3-5 days ACS, 5 days rest, 3-5 days ACS

Prevention through immunity building



ACS

Acts as **prevention** against coccidiosis to **build immunity** and breed **stronger birds**.





Endo- and ectoparasites



16

Indication

- Curative and preventive treatment of internal and external parasites
- Birds with body weight from 10 g to 100 g

Administration

- 1 drop in the neck
- Repeat after 3 weeks



Coccidia, worms & mites



50 capsules
€25

Indication

- Curative and preventive treatment of coccidiosis and internal and external parasites

Administration

- 1 capsule/500 g body weight or 1 capsule/pigeon
- Repeat in case of severe infections
- *Endo-Ecto Plus Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

17

1 / 50 g





Coccidia, worms & mites



50 capsules

€42

18

Indication

- Curative and preventive treatment of coccidiosis and internal and external parasites

Administration

- 1 capsule/kg body weight
- Repeat in case of severe infections
- *Endo-Ecto Plus Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

1 / 150 g





Coccidiosis, atoxoplasmosis



250 g €45

Indication

- Treatment of atoxoplasmosis and coccidiosis

Administration 1-3 g/l drinking water

- Use for 5 days, repeat after 3 days

19





Coccidiosis, atoxoplasmosis



NEW
30 capsules
€15

20

Indication

- Treatment of atoxoplasmosis and coccidiosis

Administration

- 1-2 capsules/100 ml drinking water
- Use for 5 days, repeat after 3 days



Combi treatment 7-14 days SBS Caps and Sulfaclozine Caps can be administered together in the drinking water

1-2 / 100 ml - 1-2 / 50 g



Worming, red mites, tracheal mite, feather lice



50 ml €19
250 ml €76

Indication

- Curative and preventive treatment of worms, red mites, nasal mites and feather lice

Administration 5 ml/l drinking water

- Preventive: 1 day every 3 weeks during high-risk periods (warm weather, breeding)
- In case of mild infections: one day, repeat after 3 weeks
- In case of severe infections: 2 days, repeat after 1 week, repeat after 3 weeks
- In case of feather lice infections: 10 ml/10 l bathing water, for 1 day
- Administration directly into the bill: 1 ml/kg body weight



Endo- and ectoparasites




22

Indication

- Curative and preventive treatment of internal and external parasites

Administration 1 drop in the neck/0.5 kg body weight

- Pigeon: 1 drop in the neck, repeat after 3 weeks
- All other bird species: 1 drop/0.5 kg body weight in the neck, repeat after 3 weeks



SPECIALITIES





Respiratory tract infections



100 g €32

formerly
Anti-Kop
(same formula)

24

Indication

- Treatment of infections caused by germs that are sensitive to tylosin and doxycycline

Administration

- Via the drinking water: 5 g/l drinking water
- Via the feed: 10g/kg feed
- Preventive: for a period of 2-3 days
- Curative: for a period of 7 days





Respiratory tract infections



NEW FORMULA
100 g €36

formerly
**Anti-Luchtweg-
infectie**

Indication

- Treatment of infections caused by germs that are sensitive to lincomycin, spectinomycin and spiramycin

Administration

- Via the drinking water: 5 g/l drinking water
- Via the feed: 10g/kg feed
- Preventive: for a period of 2-3 days
- Curative: for a period of 7 days



Extremely effective for mycoplasma infections

25

3 / 1





Ulcerative pododermatitis



15 g €22

26

Indication

- Treatment of bumblefoot
- Treatment of skin lesions (insect bites, smallpox, ...)

Administration

- For 7 day: 2 x daily on foot sole and/or infected area
- If the situation does not improve, consult your vet

Ingredients per ml: 0.1% Triamcinolone Acetonide, 100,000 IU/g Nystatin, 0.38% Neomycin sulphate, 4% Erythromycin



Colibacillosis, nest death, bacterial diarrhoea



100 g €20

Indication

- Treatment of colibacillosis (mushy chick disease), nest death and bacterial diarrhoea

Administration 5 g/l drinking water

- To prevent mushy chick disease: from 2 days prior to hatching until 5 days after hatching
- Nest death and bacterial diarrhoea: for a period of 7 days



All-round mix for pigeons during the racing season, when returning home or in preparation for a flight

27

3 / 1





Cochlosomosis, yeasts, black spot



28

Indication

- Treatment of cochlosomosis (Bengalese finch disease), yeasts and bacterial diarrhoea (campylobacter,...)
- Treatment of constipation at the level of the rectum and cloaca
- Treatment and prevention of black spot



Administration

- Curative: 5 g/l drinking water, for 7-14 days
- Preventive in case of black spot: 5 g/l drinking water, for 7 days during breeding preparation



Gould Mix is a possible alternative to Coli-Mix



Eye infections



Indication

- Curative and preventive treatment of bacterial eye infections

Administration 1 drop per eye

- Prevention in pigeons: basketing day and the day of returning home
- Curative: for a period of 7 days



Mucolytic agent for the respiratory tract



30

Indication

- Mucolytic treatment of respiratory tract obstruction
- Enhances the effect of antimicrobial therapy in respiratory problems

Administration 5 g/l drinking water

- For a period of 7-10 days
- Enhances the effect of antimicrobial therapy in respiratory problems



In Belgium, this product is on the red list (= list of banned products) of pigeon racing






Respiratory tract infections



5 ml €15



Indication

- Treatment of ornithosis and infectious coryza
- Single injection effective for 7 days

Administration

- 0.5 ml/pigeon or 1 ml/kg body weight



Respiratory tract infections



30 capsules

€18

32

Indication

- Treatment of infections caused by germs that are sensitive to doxycycline, spiramycin and/or tiamulin

Administration

- 1 capsule/pigeon, once a day for 2-3 days
- 1 capsule/kg body weight, 1-2 per day for 5-7 days
- *Orni Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

1 / 100 ml - 1 / 50 g





Respiratory tract infections



25 ml €25

Indication

- Treatment of ornithosis, infectious coryza in pigeons
- Treatment of infections caused by germs that are sensitive to lincomycin, spectinomycin and spiramycin

Administration

- 0.5 ml/pigeon or 1 ml/kg body weight
- Single injection, can be repeated after 2 days
- 1 injection: 24 hours before basketing
- 2 injections: 72 hours and 24 hours before basketing

33



Condition building for special flights/exhibitions



80 g €25

34

Indication

- Builds condition
- White noses
- Watery droppings

Administration 5 g/l drinking water or 10g/kg feed

- For a period of 2-5 days



For important flights: administration via drinking water or feed on the last 2 days before basketing





Juvenile pigeon disease, poor performance



Indication

- Mix for the treatment of young pigeon disease
- Support of the intestinal flora during intestinal infections
- Poor performance

Administration 5 g/l drinking water or 10g/kg feed

- Juvenile pigeon disease: for a period of 10-14 days
- Poor flight performance: for a period of 3-5 days

35



NEW

neofalco

products for birds of prey



more info: info@neornivet.be



TRICHOMONIASIS, CANDIDA & ASPERGILLOSIS





Aspergillosis and air sac inflammation



30 capsules

€50

38

Indication

- Curative treatment of aspergillosis and bacterial airsacculitis

Administration

- 1 capsule/kg body weight, 1-2 times/day
- Extra immunity support: 0.5 ml *Immuno-Plus*/kg body weight orally, 1-2 times/day
- Liquid administration bill/crop (syringe): dissolve 1 capsule in 0.5 ml *Immuno-Plus*/kg body weight orally, 1-2 times/day
- Treatment should continue for at least 21 days
- *Asper Dox Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

1 / 100 ml - 1 / 50 g



TRICHO COX CAPS



Treatment of flagellates (trichomonas, hexamita, giardia), mucus and coccidiosis



50 capsules
€25

Indication

- Curative and preventive treatment of trichomonas, inflammation of the crop mucosa and coccidiosis

Administration

- 1 capsule/500 g body weight or 1 capsule/pigeon
- Repeat in case of severe infections
- *Tricho Cox Caps* can be administered directly or with the food. When administered via food, the full dose should be consumed.

39

1 / 300 ml - 1 / 150 g





Treatment of flagellates (trichomoniasis, hexamita, giardia) and mucous



40

Indication

- Curative and preventive treatment of trichomonas, hexamita, inflammation of the crop mucosa, gastrointestinal infections (anaerobic bacteria) and giardia

Administration 2-3 g/l drinking water

- Prevention: 3 g/l, once a month for a period of 3 days
- Curative: 3g/l for 5-7 days
- Recommended for small birds <500 g: 2 g/l

3 / 2 l - < 0.5kg : 1 / l

Index

ACS	14
Airfree	24
Asper Dox Caps	38
Bronchifree	25
Bumblefoot	26
CAS	12
Coli-Mix	27
Endo-Ecto Kanarie	16
Endo-Ecto Plus Caps 0.5 kg	17
Endo-Ecto Plus Caps 1 kg	18
Gould Mix	28
IDROPS	29
Megadysbac	8
Mucolyt	30
One Shot	31
Orni Caps	32
Orni-Plus Inject	33
Prevention for immunity building	15
Red Race	34
SBS Caps	10
Sulfaclozine	19
Sulfaclozine Caps	20
Super Start-Up Blue	6
Tricho Cox Caps	39
Tricho Geel	40
Vermi-Complete	21
V-Exmite Drops	22
YPD Mix	35
3-in-1	9

Export prices

Please find the NeorniPharma export prices for private individuals and professionals below. These prices are **exclusive of VAT**. The VAT rates for the country of destination are applied when shipping. As always, professionals are VAT exempt.

PRODUCT	€ excl. VAT	PRODUCT	€ excl. VAT
Super Start-Up Blue (1 kg)	42,45	One Shot (5 ml)	14,15
Megadysbac (100 g)	36,79	Orni Caps (30 c)	16,98
SBS Caps (30 c)	27,36	Orni-Plus Inject (25 ml)	23,58
CAS (1 kg)	35,85	Red Race (80 g)	23,58
ACS (25 ml)	17,92	YPD Mix (100 g)	27,36
ACS (50 ml)	33,02	Asper Dox Caps (30 c)	47,17
ACS (500 ml)	168,87	Tricho Cox Caps (50 c)	23,58
Endo-Ecto Kanarie (15 ml)	10,38	Tricho Geel (100 g)	30,19
Endo-Ecto Plus Caps 0,5 kg (50 c)	23,58	Tricho Geel (1 kg)	270,75
Endo-Ecto Plus Caps 1 kg (50 c)	39,62	PURE	
Sulfaclozine (250 g)	42,45	Amoxicilline 80% (50 g)	16,98
Sulfaclozine Caps (30 c)	14,15	Enrofloxacin 10% (10 ml)	11,32
Vermi-Complete (50 ml)	17,92	Enrofloxacin 10% (50 ml)	21,70
Vermi-Complete (250 ml)	71,70	Enrofloxacin 10% (100 ml)	34,91
V-Exmite Drops (15 ml)	13,21	Colistine 480IU/mg (100 g)	16,98
Airfree (100 g)	30,19	Doxycycline 15% (100 g)	14,15
Bronchifree (100 g)	33,96	Flubendazole 5% (300 g)	32,08
Bumblefoot (15 g)	20,75	Lincospectin 66% (50 g)	27,36
Coli-Mix (100 g)	18,87	Spiramycine 50% (50 g)	27,36
Gould Mix (100 g)	35,85	Trimethoprim-Sulfa 90% (50 g)	17,92
iDrops (15 ml)	14,15	Tylosine 100% (50 g)	33,02
Mucolyt (100 g)	14,15	Tiamuline 45% (50 g)	24,53

Dosage chart (part 1)

NEORNI

Beverloosesteenweg 129, Paal
 ••• Tel. +32 (0)11 96 91 02...•••



Veterinary practice



Laboratory



Product range



Find us at
www.neorni.be



CAPSULES

- Alternative administration of capsules via drinking water (ml) or feed (g)
- For all cases where inserting is not possible

Capsule	/100 ml	/50 g
SBS Caps	1	1
Asper Dox Caps	1	1
Endo-Ecto Plus Caps 0.5 Kg	-	1
Orni Caps	-	1
Sulfaclozine Caps	1	1-2
Capsule	/300 ml	/150 g
Endo-Ecto Plus Caps 1 kg	-	1
Tricho Cox Caps	1	1



Neornipharma
 powders & capsules

Dosage chart (part 2)

POWDERS



- Easy administration of powders via drinking water (l) or feed (g/kg), without using a scale
- Level off* the spoon after scooping

Powder 'PURE'	
Amoxicillin 80%	1 / 1
Colistin 480IU/mg	2 / 1
Doxycycline 15%	2 / 1
Doxycycline 50%	1 / 21
Lincospectin 66%	1 / 1,51
Spiramycin 50%	1 / 1,51
Tiamulin 45%	1 / 21
Trim-Sulfa 90%	1 / 1,51
Tylosin 100%	2 / 1

*Spoon included with your purchase



Powder	
Airtree	4 / 1
Bronchifree	3 / 1
CAS (Ioft disinfection)	3 / 1
Coli-Mix	3 / 1
Gould Mix	3 / 1
Immuno Booster NEW	2 / 100 g
Megadysbac	3 / 1
Mucolyt	3 / 1
Probi-Plus	2 / 1
Red Race	3 / 1
Sulfaclozine	2 / 1
Super Start-Up	4 / kg
Tricho Geel	3 / 21 (<0.5kg 1 / 1)
Vita Energy	5 / kg
YPD Mix	3 / 1



Visit us
 Neornipharma
 Beverlosesteenweg 129
 3583 Paal, Belgium

Contact us
 T +32 (0)11 96 91 02
 E info@neornipharma.be
 W www.neornipharma.be

Download our catalogues

Follow us on Facebook

Neornipharma, custom formulations for your birds
 The dosages on this card offer an alternative administration compared to the product label, tailored to your bird or situation. Contact us if in doubt.

EN

T +32 (0)11 96 91 02

E info@neornivet.be

W www.neorni.be

Desk & depot:

Beverlosesteenweg 129,
3583 Paal, Belgium

